



**Member State of OIML
United Kingdom of Great Britain
and Northern Ireland**

**OIML Certificate No
R60/2000-GB1-09.03**

Issuing authority

Name: **National Weights and Measures Laboratory**
Address: **Stanton Avenue
Teddington
Middlesex
TW11 0JZ
United Kingdom**

Person responsible:

Gavin Stones – Deputy Product Certification Manager

Applicant

Name: **Transduotec, S.A**
Address: **CL. Joan Miro 11
08930 Sant Adria De Besós
Barcelona
Spain**

Manufacturer of the certified pattern is:

The applicant

Identification of the certified pattern:

Stainless steel compression strain gauge load cell

Model Designation	CP-8					
Maximum capacity, E_{\max} (t)	18	20	25	30	35	50
Accuracy class	C4					
Maximum number of load cell intervals, n_{\max}	4000					
Minimum verification interval, V_{\min}	$E_{\max} / 15000$					
Apportionment factor; p_{LC}	0.70					

This certificate attests the conformity of the above-mentioned pattern (represented by the samples identified in the associated test report) with the requirements of the following Recommendation of the International Organisation of Legal Metrology -OIML):

**OIML Certificate No
R60/2000-GB1-09.03**

Certificate History

ISSUE NO.	DATE	DESCRIPTION
R60/2000-GB1-09.03	** March 2009	Type approval first issued
-	-	No revisions have been issued

Important note: Apart from the mention of the certificate's reference number and the name of the OIML Member State in which the certificate was issued, partial quotation of the certificate or of the associated test report is not permitted, though they may be reproduced in full.